



## MAINTENANCE AND RELIABILITY BODY OF KNOWLEDGE

Society for Maintenance and Reliability Professionals

# Best Practice Metrics

*Published October 18, 2010*

The Society for Maintenance and Reliability Professionals (SMRP) has developed standard definitions for metrics used in the industry. These metrics were created by SMRP's Best Practices Committee using a rigorous development process that included an initial draft, project manager review and edit, subcommittee review and edit, Web review (public review and comment), harmonization (with other global metrics), validation (pilot implementation and verification), full committee review and edit, and final edit and format prior to publication.

Copyright® 2010 by the Society for Maintenance and Reliability Professionals (SMRP). All rights reserved. Reproduction or transmittal, by the individual holder or outside of the company for whom the holder of this document is employed, of any part of this document by electronic or mechanical means including photocopying, microfilming, recording, or by any information storage and retrieval system without the expressed written consent of SMRP is prohibited.

For more information about SMRP or the  
Best Practices Committee, please go to [www.smrp.org](http://www.smrp.org).

**EXPAND YOUR NETWORK. EXPAND YOUR KNOWLEDGE.**



# SMRP Best Practice Metrics

## Table of Contents

### I. INTRODUCTION

### II. METRICS

#### **Pillar 1 – Business and Management**

- 1.1 Ratio of Replacement Asset Value (RAV) to Craft Wage Headcount
- 1.3 Maintenance Unit Cost
- 1.4 Stocked MRO per RAV
- 1.5 Maintenance Cost per RAV

#### **Pillar 2 – Manufacturing Process Reliability**

- 2.1.1 OEE (Overall Equipment Effectiveness)
- 2.1.2 Total Effective Equipment Performance TEEP
- 2.2 Availability
- 2.3 Uptime
- 2.4 Idle Time

#### **Pillar 3 – Equipment Reliability**

- 3.1 Systems Covered by Criticality Analysis
- 3.2 Total Downtime
- 3.3 Scheduled Downtime
- 3.4 Unscheduled Downtime
- 3.5.1 MTBF (Mean Time Between Failures)
- 3.5.2 MTTR (Mean Time to Repair)
- 3.5.3 MTBM (Mean Time Between Maintenance)
- 3.5.4 MDT (Mean Down Time)
- 3.5.5 MTTF (Mean Time to Failure)

#### **Pillar 4 – Organization and Leadership**

- 4.1 Rework
- 4.2.1 Maintenance Training Costs
- 4.2.2 Maintenance Training Man-hours
- 4.2.3 Maintenance Training ROI



## II. METRICS (continued)

### Pillar 5 – Work Management

- 5.1.1 Corrective Maintenance Cost
- 5.1.2 Corrective Maintenance Hours
- 5.1.4 Preventive Maintenance Hours
- 5.1.5 Condition Based Maintenance Cost
- 5.1.6 Condition Based Maintenance Hours
- 5.1.9 Maintenance Shutdown Cost
- 5.3.1 Planned Work
- 5.3.2 Unplanned Work
- 5.3.3 Actual Cost to Planning Estimate
- 5.3.4 Actual Hours to Planning Estimate
- 5.3.5 Planning Variance Index
- 5.4.1 Reactive Work
- 5.4.2 Proactive Work
- 5.4.3 Schedule Compliance Hours
- 5.4.4 Schedule Compliance Work Orders
- 5.4.5 Standing Work Orders
- 5.4.6 Work Order Aging
- 5.4.7 Work Order Cycle Time
- 5.4.9 Ready backlog
- 5.4.12 PM and PdM Yield
- 5.4.14 PM & PdM Compliance
- 5.5.1 Supervisor to Craft Worker Ratio
- 5.5.2 Craft Worker to Planner Ratio
- 5.5.4 Indirect Personnel Maintenance Cost
- 5.5.6 Craft Workers on Shift
- 5.5.7 Overtime Percentage of Maintenance Cost
- 5.5.8 Overtime Percentage of Maintenance Hours



**II. METRICS (continued)**

- 5.5.31 Stores Inventory Turns
- 5.5.32 Vendor Managed Inventory
- 5.5.33 Stock Outs
- 5.5.34 Inactive Stock
- 5.5.35 Storeroom Transactions
- 5.5.36 Storeroom Records
- 5.5.38 Maintenance Material Cost
- 5.5.71 Contractor Cost
- 5.5.72 Contractor Hours
- 5.6.1 Wrench Time
- 5.7.1 Continuous Improvement Hours

**III. GUIDELINES**

- 1.0 Determining RAV (Replacement Asset Value)
- 2.0 Understanding OEE (Overall Equipment Effectiveness)
- 3.0 Lagging and Leading Indicators
- 6.0 Demystifying Availability
- 7.0 Measuring Maintenance Training ROI

**IV. GLOSSARY**